



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

**XXXVII.** *An Account of a very remarkable Case of a Boy, who, notwithstanding that a considerable Part of his Intestines were forced out by the Fall of a Cart upon him, and afterwards cut off, recovered, and continues well.*

Read June 12, 1755. **O**N the third of January 1755, I was called to John, the son of Lancelot Watts (a day-labourer, living at Brunsted), a servant-boy to Mr. Pile, a farmer at Westwick, near North-Walsham, Norfolk, aged thirteen years. He was overturned in a cart, and thrown flat on his face, with the round, or edge of one side of the cart, (bottom upwards) whelmed across his loins, the upper part of the body lying beyond the wheel at right angles. In this helpless condition he continued some time, and was found with a very large portion of the intestines forced out at the anus, with part of the mesentery (and some loose pieces of fat, which I took to be part of the omentum), hanging down below the hams double, like the reins of a bridle, very much distended and inflamed. He had a continual nausea, and violent reachings to vomit, and threw up every thing he took. The pain of the stomach and bowels was exquisite, attended with convulsions; his pulse low and quick; and frequently he fell into cold sweats. After using an emollient and spirituous fomentation, I reduced the parts, though to no purpose: the vomiting immediately returned, and forced them out again. Next day the fever increased, the nausea and reachings to vomit continued, the parts

parts appeared livid and black, with all signs of a mortification. On the third day the mortification increasing, I cut off the intestine, with the mesentery, close to the anus. He had had no stool from the time of the accident, but soon after the operation there was a very large discharge of blackish and extremely offensive fæces, which continued several days, lessening by degrees. He soon grew easy, and the nausea and vomiting abated. I gave him *Tinct. Cort. Peruv. simpl.* twice a day; and, as he complained at times of griping pains, he took now and then *Tinct. Rhubarb. vinos.* and has recovered a good state of health. For some time he had six or seven, or more stools in a day; at present commonly three or four, all loose, which come soon after eating; and frequently he is obliged to hurry out to ease himself, during his meals.

I have three times lately tried, if I could discover a passage through the coats of the rectum, with my finger, and I think I have always felt an opening, just above the sphincter, towards the spine; the circumference of which was full, and protuberated, seemingly as large as my finger, the lower edge of which was harder than the rest: he complained of pain, when I pressed the upper part.

The intestine cut off measured fifty seven inches, by a string applied to the outer surface.

On the 7th of May the boy came walking from Brunsted to North-Walsham (seven miles), and dined with me, was perfectly well, and walked back again that afternoon.

North-Walsham, Norfolk,  
May 28, 1755.

John Nedham.

Witness, E. Brooke, Surgeon.

XXXVIII.